

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(US-20020035575-\$).did. and "1200"	US-PGPUB	OR	ON	2011/04/19 21:34
L2	1	10/535335.app. and medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 22:10
L3	1	(US-20020035575-\$).did. and vr and ar and sr	US-PGPUB	OR	ON	2011/04/19 22:11
L5	1	(US-20020035575-\$).did. and medium	US-PGPUB	OR	ON	2011/04/19 22:16
L6	273	vr with standard and "386". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 22:19
L7	6	vr with standard same integrat \$4 and "386". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 22:19
L8	1	(US-20020035575-\$).did. and "300"	US-PGPUB	OR	ON	2011/04/19 22:30
L9	34	kusaka-hiroya\$.in. or date-toshihiko\$.in.	US-PGPUB; USPAT	OR	ON	2011/04/19 23:19
S1	2	("20030165328").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/15 14:31
S2	454	conver\$6 with video with manag\$5 and "386". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 14:34

S3	200	conver\$6 with video with manag\$5 and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 14:36
S4	2	(conver\$6 with dvd).ab. and conver\$6 with video with manag\$5 and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 14:39
S5	62	(conver\$6 with dvd) and conver\$6 with video with manag\$5 and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 14:43
S6	14	(cd with format with dvd) and conver\$6 with video with manag\$5 and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 14:47
S7	380	conver\$6 with file with (structure or directory) and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 15:30
S8	50	(format with bd and dvd).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 15:46
S9	450	(format with cd and dvd).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 15:47
S10	16	(format with cd and dvd).ab. and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 15:47
S11	0	convert\$4 with cd with dvd and toc with directory and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 15:54

S12	15	convert\$4 with cd with dvd and table with directory and "386". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 15:54
S13	19	convert\$4 with cd with dvd and table with menu and "386". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 15:55
S14	62	convert\$4 with format with dvd with cd and "386". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 15:57
S15	73	format with dvd with cd with (convert\$4 or conversion or chang\$4) and "386". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 16:10
S16	392	directory with (convert\$4 or conversion or chang\$4) and "386". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 16:12
S17	278	directory with file with (convert \$4 or conversion or chang\$4) and "386". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 16:12
S18	1	("2003/0165328").URPN.	USPAT	OR	ON	2010/04/15 16:42
S19	3547	386/95.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 19:11
S20	344	386/106.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 19:11

S21	759	386/112.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/15 19:11
S22	32	kusaka-hiroya\$.in. or date- toshihiko\$.in.	US-PGPUB; USPAT	OR	ON	2010/10/08 23:21
S23	4	conver\$5 with vcd with dvd same (structure directory hierarch\$4) and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 09:55
S24	3	conver\$5 with (video adj5 cd) with dvd same (structure directory hierarch\$4) and "386". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:01
S25	6	conver\$5 with cd with dvd same (structure directory hierarch\$4) and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:03
S26	252	conver\$5 with cd with dvd same (structure directory hierarch\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:04
S27	142	conver\$5 with cd with dvd same (structure directory hierarch\$4) and video	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:04
S28	87	conver\$5 with cd with dvd same (structure directory hierarch\$4 format\$4) and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:06
S29	0	conver\$5 with (toc) with (program adj5 chain) and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:14

S30	2	conver\$5 with (table adj5 chain) with (program adj5 chain) and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:14
S31	2	conver\$5 with (table adj5 content) with (program adj5 chain) and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:14
S32	158	conver\$5 with cd with dvd and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:18
S33	1	10/535335.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:27
S34	2	10/269939.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 10:50
S35	575	conver\$5 with original with user with (chain or pgc) and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:03
S36	575	conver\$5 with original with user adj3 defin\$3 with (chain or pgc) and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:04
S37	2	conver\$5 with original with user adj3 defin\$3 with (chain with program) and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:05
S38	1	"6580873".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:15

S39	405	(consolidat\$3 integrat\$3) with (management or control) with (information) and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:21
S40	354	(sav\$4 or stor\$4) with user adj5 defin\$3 and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:24
S41	69	(sav\$4 or stor\$4) with user adj5 defin\$3 with (program with chain) and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:25
S42	0	10/535335.app. and hierarch\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:32
S43	1	10/535335.app. and directory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:32
S44	733	(creat\$4 form\$3 conver\$4 chang\$4 add\$4) with directory with (root or file) and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:38
S45	46	conver\$4 with directory with (root or file) and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:38
S46	8	(cd and dvd) with directory with (root or file) and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:46
S47	0	conver\$4 with vob with cdi and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:52

S48	0	conver\$4 with vob with toc and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:52
S49	1	(vcd and dvd) with directory with (root or file) and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:52
S50	4	conver\$5 with vcd with dvd same (structure directory hierarch\$4) and "386".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:55
S51	5	("20010046373" "7346267" "7474837" "7526182" "7577341").PN. OR ("7844169").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2011/04/19 11:56
S52	0	creat\$4 with user with (program with chain) with directory and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:59
S53	0	(form\$3 or formation) with user with (program with chain) with directory and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:59
S54	16	user with (program with chain) with directory and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 11:59
S55	2	integrat\$4 with management with directory and "386".clas. and (@ad<="20021120" or @rlad<="20021120")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/19 12:04
S56	1	(US-20020035575-\$).did.	US-PGPUB	OR	ON	2011/04/19 12:05
S57	1	(US-20020035575-\$).did. and conver\$4	US-PGPUB	OR	ON	2011/04/19 12:06
S58	1	(US-20020035575-\$).did. and integrat\$4	US-PGPUB	OR	ON	2011/04/19 12:06

S59	0	(US-20020035575-\$).did. and identify\$4	US-PGPUB	OR	ON	2011/04/19 13:39
S60	0	(US-20020035575-\$).did. and recover\$4	US-PGPUB	OR	ON	2011/04/19 13:41

EAST Search History (Interference)

< This search history is empty >

4/ 19/ 2011 11:26:21 PM

C:\ Documents and Settings\ tchio\ My Documents\ EAST\ Workspaces\ 10535335.wsp